

SANI-LAV[®] COLUMBIA PRODUCTS

2-Person Floor Mount Stainless Steel Wash Station Model 54F8



Columbia does not recommend use with harsh chemicals.

Product Compliance
NSF/ANSI 2 Food Equipment



- ☐ (1) Floor mount wash station
- ☐ (1) Leg assembly set
- ☐ (6) Nuts, bolts and washers for leg assembly
- ☐ (4) Nuts and washers for connecting sink to leg assembly
- ☐ (1) Strainer assembly with basket

Technical drawing of the top view of a rectangular box. The overall dimensions are 40" (1017mm) in width and 20" (508mm) in height. The width is divided into two 20" (508mm) segments by a central vertical line. The height is divided into a 2" (51mm) segment at the top and a 16.5" (407mm) segment below. A central circular feature has a diameter of 10.25" (267mm). A 5" R (12.7mm) fillet is indicated in the bottom-left corner. A 2" drain hole is located at the bottom center. The bottom edge has a 1.5" (38mm) offset from the left and right sides to a 37" (940mm) wide section.


Technical drawing of the front view of the table. The drawing shows the top surface, apron, and legs. Dimensions are provided in inches and millimeters.

- Top surface width segments: 7" (178mm), 8" (203mm), 10" (254mm), 8" (203mm), 7" (178mm).
- Top surface total width: 33.8125" (858.8mm).
- Top surface thickness: 10" (254mm).
- Apron thickness: 8" (203mm).
- Leg height: 27" (686mm).
- Leg diameter: .875" (22mm) dia. holes (4).

Diagram illustrating the leg mounting holes for the table. The diagram shows a cross-section of the leg and the mounting holes. The leg thickness is 1.5". The mounting holes are 5.5" in diameter and spaced 9" on center. The distance from the edge of the leg to the first hole is 7.5".

COLUMBIA PRODUCTS
800.626.2117 • columbiasinks.com • info@columbiasinks.com

Leg Assembly



Care and Maintenance

Regular cleaning will preserve the appearance and integrity of the surface. Stainless steel can easily be cleaned and kept stain-free using various methods.

Recommendations:

- Clean with an abrasive cleaner like, Bon-Ami or Zud weekly or bi-weekly. Always scrub in the direction of the grain or polish lines. Another option is to use Baking soda. Make sure to rinse well and dry. Illustration A
- Most soaps and detergents contain chlorides, we recommend rinsing the stainless-steel sink with hot water after use, to prevent corrosion. Illustration B
- Regularly dry your sink to prevent water and surface rust marks. Illustration C
- Do not leave salt in the sink or near a saltwater environment.
- Use a quality stainless steel cleaner and follow cleaner instructions. Wipe along the grain (NOT against). Illustration D

Things to Avoid:

- Avoid harsh abrasive cleaners and corrosive chemicals.
- Avoid abrasive scouring pads, carbon steel brushes and steel wool for cleaning as iron particles left behind can lead to rust.
- Avoid the use of oily rags or greasy cloths when wiping the surface. To avoid water spots, wipe dry after use.

Additional Tips:

- Regularly drying your sink works wonders to prevent water and surface rust marks.
- Wear rubber gloves when working with cleaners to protect your hands.
- Never mix cleaners. Some products react to create dangerous gases.
- There are thousands of blended or compound cleaners on the market. Users are advised to contact suppliers of solvents for information on their applications on stainless steel.
- DO NOT USE SOLVENTS in closed spaces or while smoking.
- Note: Columbia does not recommend use with harsh chemicals.



Illustration A



Illustration B



Illustration C




Illustration D